L Number	Hits	Search Text	DB	Time stamp
1	33	synchronizing and "configuring data"	USPAT;	2004/09/30 09:34
			EPO; JPO;	
			IBM_TDB	
2	0	synchronizing near25 "configuring data"	USPĀT;	2004/09/30 09:34
			EPO; JPO;	
			IBM_TDB	2004/00/30 00 24
3	0	synchronizing adj25 "configuring data"	USPAT;	2004/09/30 09:34
		'	EPO; JPO; IBM TDB	
4	4	synchronizing and "configuring data" and	USPAT:	2004/09/30 09:37
4	4	707/\$.ccls.	EPO; JPO;	2004/03/30 03.37
Ì		10773.0015.	IBM TDB	
5	0	synchronizing and "configuring data" and	USPAT;	2004/09/30 09:37
	· ·	707/\$.ccls. and checksum	EPO; JPO;	
			IBM TDB	
6	2	synchronizing and "configuring data" and	USPĀT;	2004/09/30 09:43
_	_	checksum	EPO; JPO;	
1	-		IBM TDB	
7	12	synchron\$ and "configuring data" and	USPAT;	2004/09/30 09:49
.		checksum	EPO; JPO;	
			IBM_TDB	
8	1	"data groups" and "configuring data" and	USPĀT;	2004/09/30 09:50
		checksum	EPO; JPO;	
			IBM_TDB	
9	0	"data groups" and "configuring data" and	USPAT;	2004/09/30 09:50
		checksum and mismatch	EPO; JPO;	
		_	IBM_TDB	
10	0		USPAT;	2004/09/30 09:50
		mismatch	EPO; JPO;	
	•		IBM_TDB	2004/00/20 00-51
11	0	1	USPAT;	2004/09/30 09:51
		mismatch	EPO; JPO;	
10	22	Hearfiguring data!! and ahagkaum	IBM_TDB USPAT;	2004/09/30 09:51
12	22	"configuring data" and checksum	EPO; JPO;	2004/03/30 03.31
			IBM TDB	
14	12	"configuring data" and checksum and	USPAT;	2004/09/30 09:54
14	12	(synchron\$ or reconcil\$)	EPO; JPO;	2004/05/30 03:31
		(Synchrono of feconetry)	IBM TDB	
15	2	"configuring data" and checksum and	USPAT;	2004/09/30 09:56
	_	(synchron\$ or reconcil\$) and group near	EPO; JPO;	
		data	IBM TDB	
16	67	configur\$ near data and checksum and	USPAT;	2004/09/30 09:57
		(synchron\$ or reconcil\$) and group near	EPO; JPO;	
		data	IBM_TDB	
18	1	configur\$ near data and checksum and	USPAT;	2004/09/30 09:58
		(synchron\$ or reconcil\$) and group near	EPO; JPO;	
		data and download and transfer and	IBM_TDB	•
		707/\$.ccls.		
17	34		USPAT;	2004/09/30 09:59
		(synchron\$ or reconcil\$) and group near	EPO; JPO;	
		data and download and transfer	IBM_TDB	2004/00/20 10 00
19	34	configur\$ near data and checksum and	USPAT;	2004/09/30 10:00
		synchron\$ and group near data and download	EPO; JPO;	
20	0	and transfer configur\$ near data and checksum and	IBM_TDB USPAT;	2004/09/30 10:04
20	8		EPO; JPO;	2004/09/30 10:04
-		synchron\$ near data and group near data and download and transfer	IBM TDB	
21 .	0	source near unit and "data group" and	USPAT;	2004/09/30 10:06
21	· ·	checksum near match	EPO; JPO;	2004/03/30 10:00
		GIEGES GIR TICUL MIGCOIL	IBM TDB	
22	1	"computer system" and synchron\$ near data	USPAT;	2004/09/30 10:06
		and "data group" and checksum near match	EPO; JPO;	2004,05,50 10.00
		and data group and checksum hear match	IBM TDB	
	22	"data group" and checksum near match	USPAT;	2004/09/30 10:07
23	. 44	data group and enechaminated materi	EPO; JPO;	2004/09/30 10:07
23				
23				
23	97	synchron\$.ti. and checksum	IBM_TDB	2004/09/30 10:07
	97	synchron\$.ti. and checksum		2004/09/30 10:07

25	15	synchron\$.ti. and checksum and 707/\$.ccls.	USPAT;	2004/09/30 1	0:15
j			EPO; JPO;		j
26	1.0) (1.1.) h drawn and 707/6 calc	IBM_TDB USPAT;	2004/09/30 1	0.40
26	10	synchron\$.ti. and checksum and 707/\$.ccls.	EPO; JPO;	2004/09/30 1	.0:42
		and match	IBM TDB		
27	1	6295541.pn.	USPAT;	2004/09/30 1	0.40
- '	1	0233341.pn.	EPO; JPO;	2001,03,30 1	.0.40
			IBM TDB		ļ
28	1	synchron\$.ti. and checksum and 707/\$.ccls.	USPAT;	2004/09/30 1	0:55
	1	and (mismatch or "does not match")	EPO; JPO;	}	
			IBM_TDB		
29	1	5,870,765.pn.	USPAT;	2004/09/30 1	.0:55
			EPO; JPO;		
			IBM_TDB	0004/00/00	
_	0	(synchronizing near configuring) near data	USPAT; EPO; JPO;	2004/09/30 0	19:33
			IBM TDB		ĺ
_	0	synchronizing near "configuring data"	USPAT;	2004/09/29 1	1.56
		bynonionibing near contiguiting data	EPO; JPO;	2001/03/23 1	1.00
.			IBM TDB		j
	10	synchronizing near configuring and data	USPAT;	2004/09/29 1	1:59
			EPO; JPO;)
			IBM_TDB		ļ
-	0	synchronizing near configuring and data	USPAT;	2004/09/29 1	.1:59
		and reciev\$ near unit	EPO; JPO;		
_	0	 synchronizing near configuring and data	IBM_TDB USPAT;	2004/09/29 1	2.00
	0	and unit and checksum	EPO; JPO;	2004/09/29 1	.2:00
1	1	and diffe and enecksum	IBM TDB		1
_	0	synchronizing near configuring and data	USPAT;	2004/09/29 1	2:00
		and checksum	EPO; JPO;		
		·	IBM_TDB		j
_	885	synchronizing and checksum	USPAT;	2004/09/29 1	2:00
	j.		EPO; JPO;		
	0.2		IBM TDB	0004/00/00 1	0.04
-	83	synchronizing near data and checksum	USPAT; EPO; JPO;	2004/09/29 1	.2:04
	-		IBM TDB		İ
_	6	synchronizing near data and checksum and	USPĀT;	2004/09/29 1	4:59
		707/\$.ccls.	EPO; JPO;	, ,	
			IBM_TDB		l
-	5	synchronizing near data and checksum and	USPAT;	2004/09/29 1	2:13
		707/\$.ccls. and unit	EPO; JPO;		j
	-	amahraniaina noor data and sheekaum	IBM_TDB	2004/00/20 1	2.05
_	_ 3	synchronizing near data and checksum and 707/\$.ccls. and unit and config\$	USPAT; EPO; JPO;	2004/09/29 1	.2:05
	}	70777.0013. und unite and confrige	IBM TDB		}
-	2	synchronizing near data and checksum near	USPAT;	2004/09/29 1	2:18
1	1.	data and 707/\$.ccls. and unit	EPO; JPO;		
			IBM_TDB		
-	0	synchronizing near data and checksum near	USPAT;	2004/09/29 1	.2:24
		data and 707/\$.ccls. and unit and config\$	EPO; JPO;		
	3	synchronizing near data and checksum and	IBM_TDB USPAT;	2004/09/29 1	2.20
] -	3	707/\$.ccls. and unit and config\$	EPO; JPO;	2004/09/29 1	12:20
		did contrige	IBM TDB		
-	0	synchronizing near data and checksum and	USPAT;	2004/09/29 1	2:23
		707/\$.ccls. and unit and config\$ near data	EPO; JPO;		
		-	IBM_TDB		
-	6	("4541091" "5870765" "5884325" "5926816" "5		5 8004709 1129 1	2:23
	1		EPO; JPO;		
_	0	synchronizing near data and checksum near	IBM_TDB USPAT;	2004/00/00 1	2.24
		data and "source unit" and config\$	EPO; JPO;	2004/09/29 1	.2:24
		and boards and and contray	IBM TDB		
	7	synchronizing near data and checksum near	USPAT;	2004/09/29 1	13:01
	1	data and unit and config\$	EPO; JPO;		
	1		IBM TDB		

		•		
	9	1 5 ment on the different field that and	USPAT;	2004/09/29 13:02
		checksum near data and unit and config\$	EPO; JPO;	
			IBM TDB	
_	0	-1	USPAT;	2004/09/29 13:02
		checksum near data and 707/\$.ccls.	EPO; JPO;	
_	0	arm characters and a second	IBM_TDB	
		synchroniz\$ and configuring near data and checksum and 707/\$.ccls.	USPAT;	2004/09/29 13:02
		Checksum and 707/5.CCIS.	EPO; JPO;	
_	0	synchroniz\$ and configur\$ near data and	IBM_TDB USPAT;	2004/00/20 12:02
	-	checksum near data and 707/\$.ccls.	EPO; JPO;	2004/09/29 13:02
		data did 70774.0015.	IBM TDB	
-	1	synchroniz\$ and configur\$ near data and	USPAT;	2004/09/29 14:33
		checksum and 707/\$.ccls. and group near	EPO; JPO;	2001,03,23 11.33
		data	IBM TDB	
-	48	synchroniz\$ and configur\$ near data and	USPAT;	2004/09/29 14:33
		checksum and group near data	EPO; JPO;	
	2.5		IBM_TDB	
_	35	1 1 Term bontragart nour data dita	USPAT;	2004/09/29 14:38
		checksum and group near data and source	EPO; JPO;	
_	0	and receiv\$	IBM TDB	2004/00/00 = ==
		synchroniz\$ and configur\$ near data and checksum and group near data and "source"	USPAT;	2004/09/29 14:37
		near "unit" and receiv\$	EPO; JPO; IBM TDB	
_	9		USPAT;	2004/09/29 14:38
		data and checksum and group near data and	EPO; JPO;	2004/03/23 14:30
		source and receiv\$	IBM TDB	
-	13	synchroniz\$ and configur\$ near data and	USPAT;	2004/09/29 14:48
		checksum and 707/\$.ccls.	EPO; JPO;	
			IBM_TDB	
_	0	"system config\$ data"	USPAT;	2004/09/29 14:48
			EPO; JPO;	
_	10	"system configuring data"	IBM_TDB	
		system configuring data"	USPAT;	2004/09/29 14:49
			EPO; JPO; IBM TDB	
_	0	"system configuring data" and 707/\$.ccls.	USPAT;	2004/09/29 14:48
		-1 somergaring data and 10174.ccis.	EPO; JPO;	2004/09/29 14:48
			IBM TDB	
_	1	"system configuring data" and synchron\$	USPAT;	2004/09/29 14:50
			EPO; JPO;	
			IBM_TDB	
_	9	synchronizing near configuring and data	USPAT;	2004/09/29 14:50
		and unit	EPO; JPO;	
_	31	synchron\$ near (data or information) and	IBM_TDB	2004/00/00 1: =
]	checksum and 707/\$.ccls.	USPAT;	2004/09/29 14:59
		oncontain and 101/4.ccis.	EPO; JPO; IBM TDB	
-	7	synchronizing near (data or information)	USPAT;	2004/09/29 15:00
		and checksum and 707/\$.ccls.	EPO; JPO;	2004/05/23 ID:00
			IBM TDB	
-	3	synchronizing near (data or information)	USPAT;	2004/09/29 15:03
:		and checksum and 707/\$.ccls. and (download	EPO; JPO;	-
	_	or retriev\$)	IBM_TDB	
-	0	08923612.pn.	USPĀT;	2004/09/29 15:02
			EPO; JPO;	
	3	synchronizing noar /dota 1-f-	IBM_TDB	0001/00/65
	J	synchronizing near (data or information) and checksum and 707/\$.ccls. and (download	USPAT;	2004/09/29 15:03
		or retriev\$) and "one way"	EPO; JPO;	
_	12	synchronizing near (data or information)	IBM_TDB USPAT;	2004/09/29 15:08
		and checksum and (download or retriev\$)	EPO; JPO;	5004/03/53 T2:08
		and "one way"	IBM TDB	
-	172	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:09
		information) and checksum and (download or	EPO; JPO;	
		retriev\$) and "one way"	IBM TDB	
-	19	(synchron\$ or reconcil\$) near (data or	USPĀT;	2004/09/29 15:11
		information) and checksum and (download or	EPO; JPO;	
		retriev\$) and "one way" and 707/\$.ccls.	IBM_TDB	

	0	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:14
		information) and checksum and (download or	EPO; JPO;	2004/03/23 13.14
		retriev\$) near "one way" and 707/\$.ccls.	IBM TDB	
		and (urgen\$ or important)	1211_100	
_	0	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:15
		information) and checksum and (download or	EPO; JPO;	2001,03,23 10110
		retriev\$) near "one way" and (urgen\$ or	IBM TDB	
		important)		
-	55	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:15
		information) and checksum and rank	EPO; JPO;	
			IBM TDB	
-	30	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:16
		information) and checksum and rank and	EPO; JPO;	
		config\$ near (data or information)	IBM TDB	
-	0	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:16
		information) and checksum and rank and	EPO; JPO;	
		config\$ near (data or information) and	IBM_TDB	
		707/\$.ccls.		
-	0	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:17
		information) and checksum and rank near	EPO; JPO;	
•		(data or information) and config\$ near	IBM_TDB	
		(data or information)		
	95	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:17
		information) and checksum and (rank or	EPO; JPO;	
		order) near (data or information) and	IBM_TDB	
	10	config\$ near (data or information)	HODAM	0004/00/00 15 17
_	12	(synchron\$ or reconcil\$) near (data or	USPAT;	2004/09/29 15:17
1		information) and checksum and (rank or	EPO; JPO;	
		order) near (data or information) and	IBM_TDB	
		config\$ near (data or information) and 707/\$.ccls.		
	L	[101/9.0015.	L	